

L Number	Hits	Search Text	DB	Time stamp
1	2706	385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:44
2	2	385/148	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:47
3	225	102/201	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:48
4	501	220/240	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:48
5	368	220/361	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:51
6	421	385/138	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:51
7	999	385/139	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:51
8	4857	385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
9	73817	pressure near2 vessel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
10	123	(385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
11	35	(optic\$3 near3 fiber) and ((385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
12	6	ceramic near3 adhesive near3 plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52

13	1	((optic\$3 near3 fiber) and ((385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel))) and (ceramic near3 adhesive near3 plug)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:53
14	1509	385/137	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:53
15	1738	385/134	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:53
-	66627	pressure near2 vessel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
-	3893	(pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:37
-	820	((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:37
-	2369	((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 09:34
-	124	((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:03
-	54	(((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 09:03
-	1085	385/147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:42
-	4	385/147.ccls. and (pressure near2 vessel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:44
-	0	us-322485-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:45

-	1	us-3224851-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:49
-	3	3224851.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:45
-	22	3224851.URPN.	USPAT	2002/04/04 08:46
-	917	(pressure near2 vessel) and (optic\$2 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 08:49
-	58	((pressure near2 vessel) and (optic\$2 near3 fiber)) and (hydrostatic) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:05
-	21	((((pressure near2 vessel) and (optic\$2 near3 fiber)) and (hydrostatic) and temperature) and plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:04
-	10	(((((pressure near2 vessel) and (optic\$2 near3 fiber)) and (hydrostatic) and temperature) and plug) and ceramic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 09:32
-	84	(pressure near2 vessel) and (ceramic near5 (glue or adhes\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 13:49
-	10	((pressure near2 vessel) and (ceramic near5 (glue or adhes\$4))) and (optic\$2 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 09:35
-	1	((((pressure near2 vessel) and (optic\$2 near3 fiber)) and (hydrostatic) and temperature) and stopper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 10:42
-	15882	(pressure near2 vessel) and steel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 10:43
-	0	((((pressure near2 vessel) and (optic\$2 near3 fiber)) and (hydrostatic) and temperature) and (plug near10 steel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 10:43
-	2856	(pressure near2 vessel) and (steel near10 (plug or case or casing or housing or enclosure or tube))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 10:46

-	6	((pressure near2 vessel) and (steel near10 (plug or case or casing or housing or enclosure or tube))) and (ceramic near5 (glue or adhes\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 10:46
-	5551	(pressure near2 vessel) and plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 13:51
-	13	((pressure near2 vessel) and plug) and (ceramic near5 (glue or adhes\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:05
-	3	((((pressure near2 vessel) and plug) and (ceramic near5 (glue or adhes\$4))) and (hydrostatic) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 13:53
-	3049	((pressure near2 vessel) and plug) and (fiber or lead or input or output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 13:53
-	170	((((pressure near2 vessel) and plug) and (fiber or lead or input or output)) and (hydrostatic) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 13:59
-	145419	pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:01
-	2289	(pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:03
-	380	((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:04
-	0	(((((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug) and (hydrostatic) and temperature) and (ceramic near5 (glue or adhes\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:06
-	35	((((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug) and (hydrostatic) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 14:06
-	3	4773724.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 08:35

-	65	(((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 09:09
-	19	(((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug) and cap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 09:38
-	17	arab-sadeghabadi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 09:38
-	3	("4214809"   "4345816"   "4385797").PN.	USPAT	2002/08/13 10:21
-	4	4834479.URPN.	USPAT	2002/08/13 10:23
-	2126	385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 12:04
-	2	385/148	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 12:04
-	19	(2547521, 3381842, 3344912, 4226327, 3358902, "3410442").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 16:18
-	192	(ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:12
-	124729	(high near4 temperature) and (high near4 pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:38
-	5599617	case or casing or housing or vessel or pacakg\$3 or assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:45
-	19	((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)) and ((high near4 temperature) and (high near4 pressure)) and (case or casing or housing or vessel or pacakg\$3 or assembly)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:47
-	287350	optic\$3 near3 fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:48
-	5	((((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)) and ((high near4 temperature) and (high near4 pressure)) and (case or casing or housing or vessel or pacakg\$3 or assembly)) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:48

-	2660	385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 10:48
-	2	385/148	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:09
-	5	("3556038"   "4169309"   "4930418"   "5212339"   "5234526").PN.	USPAT	2003/11/18 10:53
-	4	("4444516"   "4544233"   "4759601"   "4909588").PN.	USPAT	2003/11/18 10:54
-	222	102/201	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:09
-	496	220/240	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:09
-	365	220/361	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10
-	3732	385/147 or 385/148 or 102/201 or 220/240 or 220/361	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10
-	2244	(optic\$3 near3 fiber) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10
-	1	((optic\$3 near3 fiber) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361)) and ((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10
-	1	(385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10
-	361	(385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:11
-	793	(385/147 or 385/148 or 102/201 or 220/240 or 220/361) and adhesive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:10

-	22	((385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic) and ((high near4 temperature) and (high near4 pressure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:11
-	11	((((385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic) and ((high near4 temperature) and (high near4 pressure)))) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:11
-	21885	(ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:12
-	111	((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:13
-	3	(385/147 or 385/148 or 102/201 or 220/240 or 220/361) and (((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:13
-	2161418	cyлинд\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:13
-	701948	cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:15
-	73	((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:15
-	62	(((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:16
-	0	(((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity) and diamter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:16
-	62	(((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity) and diameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:17

-	1	((((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cylind\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly))) and cavity) and diameter) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:17
-	73817	pressure near2 vessel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 10:09
-	293369	optic\$3 near3 fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52
-	6	ceramic near3 adhesive near3 plug	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:52